

 Fichet Bauche®

Carena

Safe
Burglary Protection



Certified
burglary
resistance



www.fichet-bauche.com

CARENA

Burglary Protection

Carena safes offer a sleek and elegant design. An exclusive barrier material developed by our R&D teams to comply with the requirements of European standards optimises their weight/storage capacity ratio while preserving high levels of protection.



Key features

PROTECTION

- ✦ Certified burglary resistance as per EN 1143-1 (Grades I-III)

CAPACITY


- ✦ 40 litres
- ✦ 80 litres
- ✦ 120 litres
- ✦ 160 litres
- ✦ 370 litres

KEY BENEFITS

- ✦ Sleek design and high level of protection
- ✦ Multiple options for customisation (choice of locks, choice of capacity, interior fittings, etc.)

Fichet-Bauche guarantees

Our products are subjected to the most stringent tests approved by insurers and A2P-certified by France's National Centre for Prevention and Protection (CNPP). This is the result of integrating our own test laboratory into our factory to impose conditions going even further than those of certifying bodies. Installation is also carried out by our own technicians to ensure certification of your safe is always preserved.



Technical specifications

Models		Carena 40	Carena 80	Carena 120	Carena 160	Carena 370
Capacity (Litres)		43	77	107	154	363
External Dimensions (mm) <i>Hinges projection not included</i>	Height	500	620	820	1140	1300
	Width	555	555	555	555	765
	Total width with door open to 90°	625	625	625	625	835
	Total width with door open to 180°	1090	1090	1090	1090	1510
	Depth (without handle & locks)	430	520	520	520	650
	Total depth with door open to 90°	900	990	990	990	1330
Internal dimensions (mm)	Height	405	525	725	1045	1205
	Clearance height (mm)	365	485	685	1005	1165
	Width	460	460	460	460	670
	Clearance width	410	410	410	410	620
	Clearance width (door open to 90°)	405,5	405,5	405,5	405,5	615,5
	Depth	230	320	320	320	450
Weight (kg)	Grade I	174	245	300	390	663
	Grade II	171	240	305	373	662
	Grade III	-	258	329	425	710
Number of shelves		1	1	2	3	3
Number of doors						1

*Handle projection: +40mm / Lock projection: +35-60mm depending on models.

Fichet Locks

A2P-certified locks as per European standards EN 1300:



MxB-B key lock
(patented by Fichet-Bauche)



MC4 mechanical combination lock



Moneo mechanical combination lock



Nectra electronic combination lock



KelNet electronic combination lock

A hallmark of our brand

With 200 years of experience as master locksmiths, we develop and manufacture our own exclusive locks. This is one of the key strengths of our safes and a guarantee of high security. We remain committed to permanent investment in R&D, always looking for more functionality, more resistance, new materials and more advanced lock technologies.

Product details

Carena safes are distinguished by superior design based on clean lines. In addition to their exceptional aesthetics, their ergonomics make them easy-to-handle safes while providing maximum protection against burglary. Carena is available in six sizes, from 40 to 370 litres of storage capacity.

PERFORMANCE AND SECURITY

Carena safes offer:

- ✦ Burglary resistance as per EN 11431 certified by both A2P and ECB•S (Grades I-III with €25,000 to €55,000 insurance ratings)
- ✦ Choice of mechanical or electronic locks (all A2P-certified as per EN 1300)
- ✦ Full length bolt movement driven by door handle, with anchoring bar and anti-heeling protection on the hinge side
- ✦ Optional factory-installed alarm configurations for remote lock management: DOCT sensors for shock and thermal opening detection - compatible with most centralised alarm platforms – allow for 24/7 monitoring

INTERIOR FITTINGS AND OPTIONS

- ✦ Black sliding lock cover, except for versions equipped with a Moneo or Kelnet lock.
- ✦ Standard or reinforced shelves
- ✦ Lockable compartments
- ✦ Sliding trays
- ✦ Shelves for hanging suspension files
- ✦ DOCT alarm sensors
- ✦ Vision Pack option: glass shelf/shelves and battery-powered internal LED lighting (switched on by sensor)
- ✦ Leather finish option
- ✦ Anchoring kit included for safes weighing less than 1,000kg (mandatory as per EN 1143-1 requirements)

