

# InviKtus

Safe

Multi-protection against burglary,  
fire and explosives



Certified  
burglary  
resistance



Certified  
fire  
resistance



Certified  
blast  
resistance



# INVIKTUS

## Multi-protection against burglary, fire and explosives

This solution for high-risk environments delivers superior levels of protection thanks a specific high-performance composite material developed by Fichet R&D teams. All models have been tested under the most rigorous conditions to ensure effective resistance—even to the most recent tools and methods of attack. Certified by the best European laboratories, InviKtus delivers optimum security.



### Key features

#### PROTECTION

- ✦ Certified burglary resistance as per EN 1143-1 (Grades IV-VI)
- ✦ Certified fire resistance as per NT Fire 017 (60 minutes for paper documents)
- ✦ Certified blast resistance as per EN 1143-1 (Grades IV-VI)

#### CAPACITY


- ✦ 140 litres
- ✦ 200 litres
- ✦ 300 litres
- ✦ 400 litres
- ✦ 600 litres
- ✦ 1200 litres

#### KEY BENEFITS

- ✦ Flagship product in our portfolio
- ✦ Integrating the best of Fichet know-how
- ✦ A unique solution providing the highest level of protection available on the market

## Fichet-Bauche guarantees

Our products are subjected to the most stringent tests approved by insurers and A2P-certified by France's National Centre for Prevention and Protection (CNPP). This is the result of integrating our own test laboratory into our factory to impose conditions going even further than those of certifying bodies. Installation is also carried out by our own technicians to ensure certification of your safe is always preserved.



InviKtus 14

InviKtus 20

InviKtus 30

InviKtus 40

InviKtus 60

InviKtus 120

## Technical specifications

Models		InviKtus 14	InviKtus 20	InviKtus 30	InviKtus 40	InviKtus 60	InviKtus 120
Capacity (Litres)		139	210	308	416	596	1117
External Dimensions (mm) <i>Hinges projection not included</i>	Height	790	920	1270	1470	1850	1850
	Width	730	730	730	810	880	1500
	Total width with door open to 180°	1420	1420	1420	1580	1720	3066
	Depth (without handle & locks)	640	740	740	740	740	740
	Total depth with door open to 90°	1285	1385	1385	1465	1535	1492
Internal dimensions (mm)	Height	620	750	1100	1300	1680	1680
	Clearance height (mm)	572	702	1052	1252	1632	1632
	Width	560	560	560	640	710	1330
	Clearance width	512	512	512	592	662	1282
	Depth	400	500	500	500	500	500
Weight (kg)	Grade IV	610	767	995	1212	1573	2350
	Grade V	633	793	1035	1267	1615	2457
	Grade VI	688	864	1132	1380	1784	2682
Number of shelves		2	3	3	4	5	5
Number of doors					1		

Handle projection: +65mm / Lock projection: +14-57mm depending on models.

## Fichet Locks

A2P-certified locks as per European standards EN 1300:  
Joint fitting of 2 locks is mandatory for InviKtus safes.



MxB-B or MxB-C key lock  
(patented by Fichet-Bauche).



Moneo mechanical  
combination lock



Nectra electronic  
combination lock



KeiNet (B or C Grade)  
electronic combination lock

## A hallmark of our brand

With 200 years of experience as master locksmiths, we develop and manufacture our own exclusive locks. This is one of the key strengths of our safes and a guarantee of high security. We remain committed to permanent investment in R&D, always looking for more functionality, more resistance, new materials and more advanced lock technologies.

## Product details

The InviKtus range offers superior ergonomic design for easy integration and daily ease of use in your environment. Our exclusive barrier material delivers optimal performance while reducing weight by 10 to 25%. Without any increase in bulk, the robust defences InviKtus opposes to attacks even allow for gains in storage capacity. Easy opening and closing of the safe is ensured by clever positioning of locks at the top and a pull handle on all models to make its operation effortless—whatever your safe size. Sober and elegant design stands out on all 6 available models (140 L, 200 L, 300 L, 400 L, 600 L and 1200 L of storage capacity).

## PERFORMANCE AND SECURITY

InviKtus safes provide:

- ✦ Burglary resistance as per EN 1143-1 certified by both A2P and ECB-S (Grades IV, V and VI with €110,000, €200,000 and €300,000 insurance ratings respectively)
- ✦ Fire resistance as per NT Fire 017 60P (60 minutes for paper documents) certified by SP
- ✦ Blast resistance as per EN 1143-1 certified by both A2P and ECB-S (Grades IV, V and VI with EX label)

Their locking system is specifically designed to resist the most violent attacks.

- ✦ Wide choice of possible combinations with mechanical and electronic Fichet locks—all certified as per EN 1300 (Grades B/E or C/E depending on safe size)

## INTERIOR FITTINGS AND OPTIONS

- ✦ Standard or reinforced shelves
- ✦ Shelves for suspension files frames
- ✦ Lockable compartments
- ✦ Lockable drawers
- ✦ DOCT alarm sensors
- ✦ Anchoring kit included for safes weighing less than 1,000kg (mandatory as per EN 1143-2 requirements)

